

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	397	relationship with query with model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 10:15
L2	10	relationship with query with model with dependenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 10:16
L4	136	proxy and query adj statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 10:22
L5	20	proxy same model and (query adj statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 10:22
L6	32	(query adj model) with dependenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 10:51
L7	646	(query adj model) with independent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 10:52
L8	19	(query adj model) with independent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 10:52
L9	3	query adj model\$4 same proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 10:55
L10	180	proxy adj model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:20

L11	92	proxy adj model and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:20
L12	0	proxy adj model and query adj statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:20
L13	2	proxy adj model same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:22
L14	26	proxy adj model and SQL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:22
L15	0	referencing with query adj model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:23
L16	0	referencing with query adj model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:23
L17	740	query with element with point\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:24
L18	16	query with element with point\$3 with model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:24
L19	38	query with object with point\$3 with model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 11:28
L25	102	715/762.ccls. and @pd> "20090108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:09

L26	1373	707/3.ccls. and @pd> "20090108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:10
S1	2	("20030037039").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 10:08
S2	10	("20050004911" "5421008" "5428737" "5721900" "6775662"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 14:29
S3	6	"620633".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:26
S4	28750	microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:45
S5	268	S4 and sql and search and condition and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 13:27
S6	205	S5 and column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 12:47
S7	0	S6 not column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 13:27
S8	63	S5 not column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 13:42
S9	2297	707/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 13:42

S10	1028	S9 and user adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 13:43
S11	289	S10 and query and search and condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 10:41
S12	7391	707/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 10:41
S13	895	707/3.ccls. and query and search and condition and user adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 10:42
S14	386	S13 and (select\$4 same table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 10:43
S15	215	S14 and graphical same (user adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 11:06
S16	516	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 11:07
S17	40	715/762.ccls. and query and search and condition and (graphical same user adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 11:33
S18	46	715/762.ccls. and query and search and condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 11:33
S19	2	"4752889".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 14:29
S20	1	("4591983").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/25 14:30

S21	359	query adj model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 08:30
S23	140	S21 and search and condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 08:31
S24	2	"5721897".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 09:52
S25	2	"5794233".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:35
S26	0	query same (operator with select\$4) same (populate with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:45
S27	0	query same (operator with select\$4) same (populated with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:46
S28	0	query same (operator same select\$4) same (populated with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:46
S29	14	query same (operator same select\$4) same (generated with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:56
S30	6	("0016843" "0037039" "6581054").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:57
S31	2	"20010016843".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:57

S32	2	"20030037039".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:57
S34	575	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:50
S35	59	S34 and @pd> "20061025"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 09:53
S36	8	S35 and query and search and condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 09:54
S37	119532	automatic\$4 with generated (list value) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:27
S38	121	automatic\$4 with generated with (list value) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:27
S39	13	automatic\$4 with generated with (list value) same query same operator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:29
S40	375	(automatic\$4 generat\$3 populat\$3 caus\$3) with (list value) same query same operator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:39
S41	362	S40 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:31
S43	76	S41 and predicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:31

S45	201	S40 and (user adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:40
S46	189	S45 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:40
S47	157	S46 not S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 09:16
S48	340	query adj builder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 09:17
S50	3	query adj builder and (automatically with value with operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 09:27
S51	58	query adj build\$3 and (operator same value same column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 09:28
S52	58	715/762.ccls. and @pd> "20070328"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 15:50
S53	3	query adj builder and (automatically with value with operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:03
S54	63	query adj build\$3 and (operator same value same column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:03
S55	2	"5421008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:08

S56	6	"2005004911"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:11
S57	2	"20050004911".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:11
S58	3	query adj build\$3 and (operator same value same column) same generat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:19
S59	60	query adj build\$3 and (operator same value same column) and generat \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:20
S60	1	query with (builder tool system) and (automatically with generat\$3) with (value and column and operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:22
S61	0	query same (automatically with generat\$3) with (value and column and operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:23
S62	0	query same (automatically with generat\$3) same (value and column and operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:24
S63	588	query same (automatically with generat\$3) same (value column operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:24
S64	369	query same (automatically adj generat\$3) same (value column operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:24
S65	22	query same (automatically adj generat\$3) same (value with (column operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:25

S66	2	707/3.ccls. and (automatically adj generat \$3 adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:30
S67	7	707/3.ccls. and (column with generat\$3 adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:32
S68	0	707/3.ccls. and ((selection selecting selected select) near3 column) same (generat\$3 adj value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 11:34
S69	71	715/762.ccls. and @pd> "20071018"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 13:54
S70	2	"5421008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 09:56
S71	2	"6496833".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:50
S72	168	group\$3 with predicate with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 06:41
S73	42	group\$3 with predicate with query same order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 06:41
S74	0	group\$3 with predicate with query same order and unselected	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 06:47
S75	144	group\$3 with predicate with query and (order same unselected selected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 06:47

S76	0	group\$3 with predicate with query and (order same unselected)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 06:47
S77	0	group\$3 with predicate with query same order same parenthesis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 07:01
S78	28	parenthesis with order same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 07:02
S79	48	("5487141" "5499371" "5504885" "5644764" "5819282" "5937409" "5953526" "6006224" "6047284" "6076092" "6081808" "6199195" "6212672" "6223184" "6260078" "6263328" "6282547").PN. OR ("6496833").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 07:57
S80	268	query adj model\$3 and (tree)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:33
S81	85	query adj model\$3 and (tree with (child parent))	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:33
S82	1	"6356286".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:40
S83	96	child and parent and subtype same query	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:46
S84	5	child same parent same subtype same query	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:47
S85	1550	child same parent same query	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:51
S86	459	child same parent same query same tree	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:51
S87	193	child same parent same query same tree same structure	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:51
S88	31	child same parent same query same tree same structure same element	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/25 08:51
S89	54	query adj model same tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 09:37

S90	67	715/762.ccls. and @pd> "20080505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 10:15
S91	564	707/3.ccls. and @pd> "20080505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 10:15
S92	7	"620538".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/22 07:40
S93	70	715/762.ccls. and query and search and condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 09:14
S94	2	"5924089".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 09:16
S95	1	(indent\$5 parentheses) with precedence with predicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 09:26
S96	188	macro near3 (verify verification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:45
S97	27	((user adj interface) UI) adj recorder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 12:48
S98	41	classify\$3 with user with input with (event action)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/30 14:35
S99	38	"628543"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:09

S100	6	"628543".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 10:10
S101	14	("5287446" "5546521" "5754176" "6046726" "6229524" "6244956" "6362842").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 08:26
S102	258	715/968.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 08:27
S103	77	715/968.ccls. and tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 08:27
S104	53	715/968.ccls. and tree and relationship	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 08:28
S105	2	"7032071".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 08:44
S106	2	"5701456".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 08:53
S107	659	query adj tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 09:21
S108	59	query adj tree same relationship	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 09:22
S109	2	"5471613".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 09:45

S110	5	query statement represented tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/07/15 09:58
S111	192	sql same tree same map\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:06
S112	74	sql same tree same map\$4 same statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:06
S113	14	sql adj tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:06
S114	19	("20010034733" "20030182273" "20040177352" "20060004773" "20060136373" "20060173873" "6134549" "6430556" "6591272" "6941298" "7069553").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 14:11
S115	2	"6775662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:23
S116	740636	atomic query statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 15:27
S117	15	atomic query statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/07/15 15:27
S118	2	"7032071".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 16:59

7/ 16/ 2009 1:11:38 PM

C:\Documents and Settings\ ajones4\ My Documents\ EAST\ Workspaces\ 1062\ 10620633.wsp